


Pass4Cram



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



<http://www.pass4cram.com>

Pass4cram-high-pass-rate IT certification exams cram

Exam : **C1000-004**

Title : IBM Cúram SPM V7.X
Application Developer

Vendor : IBM

Version : DEMO

NO.1 Which two statements about EVX events are true? (Choose two.)

- A. Event handlers and event raisers execute in separate transactions.
- B. Developers can define custom listeners for out-of-the-box events.
- C. EVX events implement the Strategy pattern.
- D. EVX files map events to listeners.
- E. Event filters handlers can be defined in the same class.

Answer: C,E

NO.2 Which statement about the different approachable to generating unique IDs is true?

- A. A key set must be specified when using the programmatic approach.
- B. A programmatic or model-based approach allows a developer to access the unique ID form their code once the key is generated.
- C. A dedicated BPO should be used to generate readable keys.
- D. The model-based approach should be used to generate keys from the Default KeySet.

Answer: A

NO.3 Which two statements about dynamic conditional clusters are true? (Choose two.)

- A. Dynamic conditional clusters cannot be nested for performance reasons.
- B. If a cluster is hidden when the data is submitted, default data is sent to the server.
- C. The implementation of dynamic conditional clusters uses JavaScript.
- D. If there are mandatory fields in a hidden cluster, default values are sent to the server when the data is submitted.
- E. A dynamic cluster will always be displayed when the page initially loads.

Answer: C,E

NO.4 An entity class called MyEntity includes a non-database method that is defined using the <<blank>> stereotype.

In which Java class is the method implemented?

- A. curam.fact.MyEntity
- B. curam.base.MyEntity
- C. curam.impl.MyEntity
- D. curam.intf.MyEntity

Answer: C

NO.5 You want to execute a custom SQL script called MyChanges.sql.

Which statement describes how to execute MyChanges.sql when the database is built?

- A. Add MyChanges.sql to your custom data\test folder, from where it loads automatically.
- B. Add MyChanges.sql to your custom data\test folder and reference it from a DMX file.
- C. Add MyChanges.sql to your custom folder and reference if from the database ANT script.
- D. Add MyChanges.sql to your custom folder and reference it from datamanager_config.xml.

Answer: B

NO.6 Examine the below message definition. What is the result when the runtime locale is set to

fr_CA?

```
<message name="MESSAGE_WHERE">
  <locale country="CA" language="en">Washroom</locale>
  <locale country="GB" language="en">Lavatory</locale>
  <locale language="en">Restroom</locale>
</message>
```

- A. Restroom.
- B. Washroom.
- C. An error is displayed.
- D. Lavatory.

Answer: B

NO.7 Consider this warning in the source code editor when EmployerFactory is referenced: "Discouraged access: The type EmployerFactory is not accessible due to restriction on required library EJBServer/components/core/lib/core.jar." Which annotation is EmployerFactory declared with?

- A. @AccessLevel(RESTRICTED)
- B. @AccessLevel(EXTERNAL)
- C. @AccessLevel(DEPRECATED)
- D. @AccessLevel(INTERNAL)

Answer: A