


Pass4Cram



Try before you buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



<http://www.pass4cram.com>

Pass4cram-high-pass-rate IT certification exams cram

Exam : **C_TADM55a_75**

Title : SAP Certified Technology
Associate - System
Administration (SAP HANA)
with SAP NetWeaver 7.5

Vendor : SAP

Version : DEMO

NO.1 TRANSPORT MANAGEMENT

On operating system level, in the transport directory log, you find file DEVA991206.XYZ file.
What is the content of this file?

- A.** The log for the Dictionary activation of transport request DEVK991206 in the XYZ system
- B.** The trace file from transaction Performance Trace (ST05) for imports into the XYZ system from U December 6, 1999.
- C.** The cofile of transport request DEVK991206, which is waiting for import into the XYZ system
- D.** The log for the export of transport request DEVK991206 from the XYZ system

Answer: A

NO.2 TRANSPORT MANAGEMENT

In the import queue of system FSP, you find that the "Import All Requests" button is missing but the "Import Request" button is available (see attached screenshot)

- A.** There is only one transport request waiting for import into the
- B.** The transport strategy is set to Single Transports
- C.** FPS system CI FSP is a virtual system
- D.** The transport request does NOT match the component version of the FSP system

Answer: B

NO.3 The ICM uses plug-ins to implement to which communication protocols? (More than one answers are true)

- A.** SMTP
- B.** HTTP
- C.** TCP/IP
- D.** https

Answer: A,B,D

NO.4 SAP FIORI FUNDAMENTALS AND ADMINISTRATION

Two separate ABAP classes are required to generate SAP Gateway services as follows.

- Model Provider Class (MPC)
- Data Provider Class (DPC)

What do these classes do?

Note: There are 3 correct answers to this question.

- A.** MPC supplies the consumer with a complete description of the gateway service
- B.** DPC supplies the consumer with a complete description of the gateway service
- C.** DPC represents the implementation of the business logic
- D.** MPC represents the implementation of the business logic

Answer: A,C

NO.5 In a three system landscape from which system the Transportable change request has to be exported

- A.** Quality System
- B.** Production System
- C.** Development System

Answer: A

NO.6 if for any reason deletion of the trigger via HANA Studio is not possible, triggers can be deleted

- A. via transaction IUUC_REMOTE in the source system
- B. via transaction IUUSTOP directly on the database
- C. via transaction IUUC_STOP in the source system
- D. via transaction IUUC_REMOTE directly on the database

Answer: B

NO.7 After establishing a three-system landscape transport environment for SAP systems based on AS ABAP, a developer has released a transport request in the DEV system. You now receive a mail with the transport request number from the developer and your job is to import this request into the QAS system. However, even after pressing the refresh button several times, the import queue of the QAS systems seems to be empty.

Which of the following are possible reasons for this problem? (Choose two)

- A. The systems DEV and QAS belong to different transport groups.
- B. A virtual system exists in your transport landscape. Once you have a virtual system in your transport landscape the import buffers are empty.
- C. The repository objects in this transport request belong to a package (formerly development class) that points to a transport layer, which in turn does not point to the QAS system.
- D. You do not have the necessary authorizations to refresh the import queue of the QAS system.

Answer: A,C

NO.8 Which are the file system that you need to set up manually.?

- A. /sapmnt/<SID>
- B. /sap
- C. /sap/trans
- D. /sap/<SID>
- E. ping /<hostname>

Answer: D

NO.9 TRANSPORT MANAGEMENT

You are setting up a new transport domain with the Transport Management System (STMS). What is created automatically?

Note: There are 2 correct answers to this question

- A. The transport group GROUP_<SID>
- B. The transport directory
- C. The tp parameter file TP_<domain_name>.PFL
- D. The backup domain controller

Answer: A,C

NO.10 Which are different installation options for SAP NetWeaver AS?

- A. SAP NetWeaver AS Microsoft .NET
- B. SAP NetWeaver AS ABAP

C. SAP NetWeaver AS ABAP+Java

D. SAP NetWeaver AS Java

Answer: A,B

NO.11 The servers that are NOT supported for use with the SAP NetWeaver AS Java are:

A. SQL Server

B. SAPWeb Dispatcher

C. Apache Web Server

D. Microsoft Internet Information Server (IIS) with an IIS proxy module from SAP

Answer: A

NO.12 Where can you find details on the memory consumption of the integrated ITS?

A. Using the ICF service /sap/moni/its/mem

B. On operating system level, using the command "its -mem"

C. In the SAP system, using transaction/report SITSPMON

D. In the SAP system, using transaction SMICM

Answer: C

NO.13 Which is not the logical levels of internal structure of SAP NetWeaver AS Java ?

A. J2SE components

B. J2EE components

C. Applications Layer

D. SAP Java Enterprise Runtime

Answer: A

NO.14 What is the transaction code to record the internal SAP system activities, such as authorization checks, database accesses, kernel functions, and RFC calls. (Please choose one correct answer)

A. ST05

B. ST22

C. SM21

D. ST01

Answer: D

NO.15 SAP SYSTEM CONCEPTS

What information is stored in the System Landscape Directory?

A. Component information

B. Buffer information

C. Authorization information

D. Alert information

Answer: A

NO.16 Which of the programming languages listed below are implemented platform-independently?

- A. ABAP
- B. C/C++
- C. Java
- D. Fortran

Answer: A

NO.17 Which of the following functions are offered by CCMS-based monitoring (transaction RZ20)?

- A. Monitoring different attributes of all instances of one SAP system using a single monitor.
- B. Monitoring different attributes of different SAP systems using a single monitor.
- C. By default, all alerts in transaction RZ20 generate corresponding mail notifications.

Answer: A,B

NO.18 What system behavior can be achieved by using specific profile parameters in AS ABAP- based SAP systems?

There are 2 correct answers to this question.

- A. You can set an expiration time for passwords.
- B. You can generally deactivate authorization checks in the complete SAP system (for example, in Sandbox systems).
- C. You can set the minimum password length.
- D. You can enable an emergency "master user", named "SAP_ALL".

Answer: A,C